

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E 3.4 GENERATORS N.2,...			Turbocharger - No.2 Generator	—	without	Usage	1.000 h	Critical	Incoming	516 h
	Date	Location	Type	Comment	Supplier	Responsible						
	Aug 24, 2018	ST JEAN CAP FERRAT	Job Done	Turbocharger Inspected .	-	Tom HARDY (2nd Engineer)						
	May 19, 2018	Genoa	Job Done		Automar	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E 3.4 GENERATORS N.2,...			Generator No.2 - Aftercooler	—	without	Time & Usage	1.000 h / Yearly	Regular	Incoming	516 h 97 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Aug 27, 2018	Saint Jan Cap Ferrat	In Progress	Postpone task until season will be finished .	-	Tom HARDY (2nd Engineer)						
	May 19, 2018	Genoa	Job Done	Done as part of 10000hr overhaul	Automar	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.5 AIR SYSTEM		Engine Crankcase Breather Element - No.3 Generator		without	Usage	1.000 h	Critical	Incoming	544 h
	Date	Location	Type	Comment	Supplier	Responsible						
	Aug 28, 2018	Portofino (Italy)	Job Done	Changed .	-	Tom HARDY (2nd Engineer)						
	Nov 15, 2017	Genoa	Job Done	Done as part of 12000hr overhaul	-	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.1 ENGINE ARRANGMENT		Generator No.3 - Engine Mounts		without	Usage	1.000 h	Critical	Incoming	544 h
	Date	Location	Type	Comment	Supplier	Responsible						
	Aug 28, 2018	Portofino (Italy)	Job Done	Mounts inspected .	-	Tom HARDY (2nd Engineer)						
	May 19, 2018	Genoa	Job Done		Automar	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.8 ELECTRIC AND...		Electric Starting Motor		without	Usage	6.000 h	Regular	Incoming	678 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.4 COOLING SYSTEM		Cooling System Water Temperature Regulator		without	Usage	6.000 h	Critical	Incoming	678 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.3 LUBRICATING SYSTEM		Oil Analysis Port Main Engine		without	Usage	500 h	Inspection	Incoming	500 h
	Date	Location	Type	Comment	Supplier	Responsible						
	Dec 19, 2018	Genoa	Job Done	Oil sample taken from dipstick	-	Alan PIERROT (Chief Engineer)						
	Jul 17, 2018	Hydra (Greece)	Job Done	Job done .	-	Tom HARDY (2nd Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.3 GENERATORS N.1,...	E3.3.3 LUBRICATING SYSTEM		Oil Analysis - No1 Generator		without	Usage	500 h	Inspection	Incoming	499 h
	Date	Location	Type	Comment	Supplier	Responsible						
	Dec 19, 2018	Genoa	Job Done	Oil Sample taken from dipstick and sent away. Changed interval from 3 months to 500 hours instead	-	Alan PIERROT (Chief Engineer)						
	Jul 16, 2018	Athens	Job Done	Job Done.	-	Tom HARDY (2nd Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.3 GENERATORS N.1,...	E3.3.2 BASIC ENGINE		Check / change Air Filter		without	Usage	500 h	Regular	Incoming	487 h

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
E												
	Date	Location	Type	Comment		Supplier		Responsible				
	Dec 22, 2018	Genoa	Job Done	Inspected air filter. Was black with soot and dust so renewed as wasnt worth cleaning.		-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.4 COOLING SYSTEM		Water Pump		without	Usage	2.000 h	Inspection	Incoming	483 h
E												
	Date	Location	Type	Comment		Supplier		Responsible				
	Nov 15, 2017	Genoa	Job Done	Done as part of 12000hr overhaul		-		Alan PIERROT (Chief Engineer)				
	Nov 15, 2017	Genoa	Job Done	Done as part of 12000hr overhaul		-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.7 FUEL SYSTEM		Main Engine PS - Fuel Primary (Racor)		without	Time & Usage	500 h / Yearly	Regular	Incoming	500 h 226 days
E												
	Date	Location	Type	Comment		Supplier		Responsible				
	Jan 3, 2019	Genoa	Job Done	Changed both filters, drained both bowls, removed and cleaned out. Signs of bacterial growth in the fuel.		-		Alan PIERROT (Chief Engineer)				
	Aug 30, 2018	Saint Florent (Corsica , France)	Job Done	Filter replaced .		-		Tom HARDY (2nd Engineer)				
	Jun 7, 2018		Job Done			-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.7 FUEL SYSTEM		Main Engine STBD - Fuel Primary (Racor)		without	Time & Usage	500 h / Yearly	Regular	Incoming	500 h 227 days
E												
	Date	Location	Type	Comment		Supplier		Responsible				
	Jan 4, 2019	Genoa	Job Done	Both filters renewed. Drained bowls down but never removed the bowls on this side due to time consuming so i recommend checking them next service. Drip tray could be removed also to allow space to access underneath easier as they are not really necessary.		-		Alan PIERROT (Chief Engineer)				
	Aug 30, 2018	Saint Florent (Corsica France)	Job Done	Filter Replaced .		-		Tom HARDY (2nd Engineer)				
	Jun 7, 2018		Job Done			-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E 3.4 GENERATORS N.2,...	E3.4.3 LUBRICATING SYSTEM		Oil Analysis - No 2 Generator		without	Usage	500 h	Inspection	Incoming	499 h
E												
	Date	Location	Type	Comment		Supplier		Responsible				
	Dec 19, 2018	Genoa	Job Done			-		Alan PIERROT (Chief Engineer)				
	Jul 17, 2018	Hydra anchorage (Greece)	Job Done	Job Done		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.8 ELECTRIC AND...		Engine speed time / Timing sensor		without	Usage	6.000 h	Inspection	Incoming	678 h
E												
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.3 LUBRICATING SYSTEM		Prelube Pump		without	Usage	6.000 h	Inspection	Incoming	678 h
E												
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.7 FUEL SYSTEM		Main Engine PS - secondary fuel filter change		without	Time & Usage	1.000 h / Yearly	Regular	Incoming	875 h 100 days
E												
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.3 GENERATORS N.1,...	E3.3.6 EXHAUST SYSTEM		Turbocharger - No.1 Generator		without	Usage	1.000 h	Critical	Incoming	699 h
E												

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
	Date	Location	Type	Comment		Supplier		Responsible				
	Sep 10, 2018	Monaco.	Job Done	Inspected .		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.7 FUEL SYSTEM		Main Engine Stbd Side - secondary fuel filter change		without	Time & Usage	1.000 h / Yearly	Regular	Incoming	873 h 100 days
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.3 LUBRICATING SYSTEM		Main Engine PS.- Crankcase Breather		without	Usage	1.000 h	Regular	Incoming	773 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Aug 18, 2018	Formentera	Job Done	Both Breather replaced .		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.3 LUBRICATING SYSTEM		Main Engine STBD.- Crankcase Breather		without	Usage	1.000 h	Regular	Incoming	772 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Aug 18, 2018	Formentera (Spain)	Job Done	Both breather replaced .		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.7 PORT GEARBOX			Gearbox oil change	—	without	Usage	2.000 h	Regular	Incoming	678 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.4 COOLING SYSTEM		Water Pump		without	Usage	6.000 h	Inspection	Incoming	672 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.2 BASIC ENGINE		Crankshaft Vibration Damper		without	Usage	2.000 h	Critical	Incoming	672 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.8 ELECTRIC AND...		Electric Starting Motor		without	Usage	6.000 h	Regular	Incoming	672 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.4 COOLING SYSTEM		Cooling System Water Temperature Regulator		without	Usage	6.000 h	Critical	Incoming	672 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.3 LUBRICATING SYSTEM		Prelube Pump		without	Usage	6.000 h	Inspection	Incoming	672 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.8 ELECTRIC AND...		Engine speed time / Timing sensor		without	Usage	6.000 h	Inspection	Incoming	672 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.8 ELECTRIC AND...		Starting Motors		without	Usage	2.000 h	Inspection	Incoming	483 h
	Date	Location	Type	Comment		Supplier		Responsible				
	May 19, 2018		Job Done			-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.1 ENGINE ARRANGMENT		Engine Valve Lash		without	Usage	2.000 h	Regular	Incoming	483 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Nov 15, 2017	Genoa	Job Done	Done as part of 12000hr overhaul		Automar		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Fuel Primary (Racor) / Secondary Filters	—	without	Usage	250 h	Regular	Incoming	239 h

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
	Date	Location	Type	Comment		Supplier		Responsible				
	Nov 28, 2017	Genova	Job Done	Job Done .		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Engine Oil and Filter - Emergency Generator	---	without	Usage	250 h	Regular	Incoming	239 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Nov 28, 2017	Genova	Job Done			-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Fuel Primary / Secondary Filters	---	without	Usage	250 h	Regular	Incoming	239 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Nov 28, 2017	Genova	Job Done	All fuel Filters changed and fuel renewed from the storage tank .		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E8 HVAC AND REFRIGERATION	E8.2 VENTILATION	E8.2.7 AHU NO.1 (412...		Air Handling Unit NO .1		without	Time	6 Months	Inspection	Incoming	36 days
	Date	Location	Type	Comment		Supplier		Responsible				
	Dec 22, 2018	Genoa	In Progress	Vacom frequency drive showing zero frequency. Fan not running, need to replace FQ.		-		Alan PIERROT (Chief Engineer)				
	Jun 27, 2018	ST JEAN CAP FERRAT	Job Done	Checked inspected and changed filter mesh and sanitize .		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E 3.4 GENERATORS N.2,...			Engine Crankcase Breather Element - No.2 Generator	---	without	Time & Usage	500 h / Yearly	Regular	Incoming	276 h 108 days
	Date	Location	Type	Comment		Supplier		Responsible				
	Sep 7, 2018	Cala Di Volpi (Sardinia)	Job Done	Replaced .		-		Tom HARDY (2nd Engineer)				
	Aug 9, 2018	Genoa	Job Done	Replaced Breather Element .		-		Tom HARDY (2nd Engineer)				
	Jun 19, 2018		Job Done			-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.3 GENERATORS N.1,....	E3.3.2 BASIC ENGINE		Check / change CCV breather filter		without	Usage	250 h	Regular	Incoming	237 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Dec 22, 2018	Genoa	Job Done	Checked CCV filter. Was black with oil so renewed.		-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.3 GENERATORS N.1,....	E3.3.3 LUBRICATING SYSTEM		Generator No.1 - Engine Oil and Filter		without	Usage	250 h	Regular	Incoming	237 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Dec 22, 2018	Genoa	Job Done	Oil and filters changed.		-		Alan PIERROT (Chief Engineer)				
	Sep 10, 2018	Monaco.	Job Done	Oil and oil Filters changed .		-		Tom HARDY (2nd Engineer)				
	Jul 30, 2018	Mikonos (Greece)	Job Done	Oil and oil filters reopaced		-		Tom HARDY (2nd Engineer)				
	Jul 16, 2018	Athens	Job Done	Oil Changed.		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.3 GENERATORS N.1,....	E3.3.7 FUEL SYSTEM		Generator No.1 - Primary Fuel Filter (Racor)		without	Time & Usage	250 h / 6 Months	Regular	Incoming	237 h 36 days

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
	Date	Location	Type	Comment		Supplier		Responsible				
	Dec 22, 2018	Genoa	Job Done	Fuel drained and both filters changed. Was signs of jelly in the bowl which could be bacterial growth.		-		Alan PIERROT (Chief Engineer)				
	Sep 10, 2018	Monaco.	Job Done	Fuel drained when filter was replaced .		-		Tom HARDY (2nd Engineer)				
	Jul 30, 2018	Mikonos (Greece)	Job Done	Done .		-		Tom HARDY (2nd Engineer)				
	Jul 24, 2018	Arkoi (Greece)	Job Done	Filter Drained .		-		Tom HARDY (2nd Engineer)				
	Jul 10, 2018	Athens	Job Done	Filter drained .		-		Tom HARDY (2nd Engineer)				
	Jun 29, 2018	ST JEAN CAP FERRAT	Job Done	Fuel drained do to filter change .		-		Tom HARDY (2nd Engineer)				
	Jun 20, 2018	Antibes	Job Done	Racor filter drained .		-		Tom HARDY (2nd Engineer)				
	Jun 14, 2018	Monaco	Job Done	Fuel drained do to filter change .		-		Tom HARDY (2nd Engineer)				
	May 19, 2018		Job Done			-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.3 GENERATORS N.1,...	E3.3.8 ELECTRIC AND...	Generator NO.1 - Alternator Belt			without	Time & Usage	250 h / Yearly	Regular	Incoming	237 h 214 days
	Date	Location	Type	Comment		Supplier		Responsible				
	Dec 22, 2018	Genoa	Job Done	Belt checked. Tension and condition is good.		-		Alan PIERROT (Chief Engineer)				
	Sep 10, 2018	Monaco.	Job Done	Belt Checked .		-		Tom HARDY (2nd Engineer)				
	Jul 30, 2018	Mikonos (Greece)	Job Done	Belt inspected .		-		Tom HARDY (2nd Engineer)				
	Jul 24, 2018	Arkoi (Greece)	Job Done	Belt checked .		-		Tom HARDY (2nd Engineer)				
	Jul 10, 2018	Athens	Job Done	Belt inspected .		-		Tom HARDY (2nd Engineer)				
	Jun 29, 2018	ST JEAN CAP FERRAT	Job Done	Belt inspected .		-		Tom HARDY (2nd Engineer)				
	Jun 20, 2018	Antibes	Job Done	Belt inspected .		-		Tom HARDY (2nd Engineer)				
	Jun 13, 2018	Monaco	Job Done	Belt checked .		-		Tom HARDY (2nd Engineer)				
	May 19, 2018		Job Done			-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.3 GENERATORS N.1,...	E3.3.4 COOLING SYSTEM	Generator No.1 - Zinc-Rods			without	Usage	250 h	Regular	Incoming	237 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Dec 22, 2018	Genoa	Job Done	Both zincs replaced as were completely gone.		-		Alan PIERROT (Chief Engineer)				
	Sep 10, 2018	Monaco.	Job Done	Zincs Replaced .		-		Tom HARDY (2nd Engineer)				
	Jul 30, 2018	Mikonos (Greece)	Job Done	Zincs Replaced .		-		Tom HARDY (2nd Engineer)				
	Jul 24, 2018	Arkoi (Greece)	Job Done	Zincs replaced .		-		Tom HARDY (2nd Engineer)				
	Jul 10, 2018	Athens	Job Done	Zincs replaced .		-		Tom HARDY (2nd Engineer)				
	Jun 29, 2018	ST JEAN CAP FERRAT	Job Done	Zincs changed .		-		Tom HARDY (2nd Engineer)				
	Jun 20, 2018	Antibes	Job Done	Both zinc's changed .		-		Tom HARDY (2nd Engineer)				
	Jun 14, 2018	Monaco	Job Done	Anodes Changed .		-		Tom HARDY (2nd Engineer)				
	May 19, 2018		Job Done			-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E 3.4 GENERATORS N.2,...		Engine Air Cleaner Element (AIR FILTER) No.2 Generator		—	without	Time & Usage	500 h / Yearly	Regular	Incoming	276 h 108 days

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
E												
	Date	Location	Type	Comment		Supplier		Responsible				
	Sep 7, 2018	Cala Di Volpi (Sardinia)	Job Done	Replaced .		-		Tom HARDY (2nd Engineer)				
	Aug 9, 2018	Genoa	Job Done	Filter cleaned .		-		Tom HARDY (2nd Engineer)				
	Jun 19, 2018		Job Done			-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...	E3.6.3 LUBRICATING SYSTEM		Oil Analysis - Emergency Generator		without	Time	Yearly	Inspection	Incoming	55 days
	Date	Location	Type	Comment		Supplier		Responsible				
	Jul 16, 2018	Athens	Job Done	Job done .		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.8 ELECTRIC AND...		Alternator		without	Usage	2.000 h	Inspection	Incoming	483 h
	Date	Location	Type	Comment		Supplier		Responsible				
	May 19, 2018		Job Done			-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.8 ELECTRIC AND...		Rotating Rectifier - Generator No.3		without	Time & Usage	2.000 h / 2 Years	Regular	Incoming	483 h 353 days
	Date	Location	Type	Comment		Supplier		Responsible				
	May 19, 2018	Genoa	Job Done	all OK		-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.4 COOLING SYSTEM		Cooling System Water Temperature Regulator		without	Usage	2.000 h	Critical	Incoming	483 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Nov 15, 2017	Genoa	Job Done	Replaced as part of 12000hr overhaul		Automar		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.1 ENGINE ARRANGMENT		Crankshaft Vibration Damper		without	Usage	2.000 h	Inspection	Incoming	483 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Nov 15, 2017	Genoa	Job Done	Done as part of 12000hr overhaul		Automar		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.8 ELECTRIC AND...		Engine speed time / Timing sensor		without	Usage	2.000 h	Inspection	Incoming	483 h
	Date	Location	Type	Comment		Supplier		Responsible				
	May 19, 2018		Job Done			-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.4 COOLING SYSTEM		Heat Exchanger - No.3 Generator		without	Time & Usage	2.000 h / 2 Years	Regular	Incoming	483 h 353 days
	Date	Location	Type	Comment		Supplier		Responsible				
	May 19, 2018	Genoa	Job Done	Done as part of 12000hr overhaul		Automar		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.4 COOLING SYSTEM		Aftercooler - No.3 Generator		without	Time & Usage	2.000 h / 2 Years	Regular	Incoming	483 h 353 days

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
	Date	Location	Type	Comment		Supplier		Responsible				
	May 19, 2018	Genoa	Job Done	done as part of 12000hr overhaul		Automar		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E5 ANCILLARY MACHINERY	E5.3 PNEUMATIC SYSTEM	E53.4 FORWARD COMPRESSOR		Fwd Compressor - Replace air Filter		without	Usage	600 h	Regular	Incoming	456 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.4 COOLING SYSTEM		Water Pump		without	Time	6 Years	Inspection	Incoming	56 days
PERIODICAL MAINTENANCE	E5 ANCILLARY MACHINERY	E5.3 PNEUMATIC SYSTEM	E53.8 HORN SYSTEM		Air Horn - Visual Inspection		without	Time	Yearly	Inspection	Incoming	65 days
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.15 AFT STABILIZERS	E3.15.1 HYDRAULIC POWER...		Aft stabilizer - Oil Filter Change		without	Time	Yearly	Inspection	Incoming	66 days
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.14 FWD STABILIZERS	E3.14.1 HYDRAULIC POWER...		Fwd Stabilizer - Oil Filter Change		without	Time	Yearly	Regular	Incoming	66 days
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.6 EXHAUST SYSTEM		Turbocharger		without	Usage	2.000 h	Critical	Incoming	783 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.2 BASIC ENGINE		Crankshaft Vibration Damper		without	Usage	2.000 h	Critical	Incoming	784 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.1 ENGINE ARRANGMENT		Engine Valve Lash		without	Usage	4.000 h	Regular	Incoming	3.322 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Nov 16, 2017	Genova	Job Done	Task was done by Automar		Automar		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.7 FUEL SYSTEM		Fuel Injector Clearances		without	Usage	4.000 h	Inspection	Incoming	3.322 h
	Date	Location	Type	Comment		Supplier		Responsible				
	May 19, 2018	Genoa	Job Done			Automar		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.4 COOLING SYSTEM		Auxiliary Water Pump		without	Usage	4.000 h	Inspection	Incoming	3.322 h
	Date	Location	Type	Comment		Supplier		Responsible				
	May 19, 2018	Genoa	Job Done			Automar		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.2 BASIC ENGINE		Aftercooler Core		without	Usage	5.000 h	Regular	Incoming	3.483 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Nov 15, 2017	Genoa	Job Done	Replaced as part of 12000hr overhaul		Automar		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.4 COOLING SYSTEM		Oil Cooler		without	Usage	5.000 h	Regular	Incoming	3.483 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Nov 15, 2017	Genoa	Job Done	Done as part of 12000hr overhaul		Automar		Alan PIERROT (Chief Engineer)				

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.7 FUEL SYSTEM		Fuel Injector Clearances		without	Usage	4.000 h		Incoming	3.323 h
	Date	Location	Type	Comment	Supplier	Responsible						
	May 19, 2018	Genoa	Job Done		Automar	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.1 ENGINE ARRANGMENT		Engine Valve Lash		without	Usage	4.000 h	Regular	Incoming	3.323 h
	Date	Location	Type	Comment	Supplier	Responsible						
	Nov 16, 2017	Genova	Job Done	Task was done by Automar .	Automar	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.3 GENERATORS N.1,...	E3.3.2 BASIC ENGINE		Top End		without	Usage	5.000 h	Critical	Incoming	3.015 h
	Date	Location	Type	Comment	Supplier	Responsible						
	May 19, 2018	Genoa	Job Done		Automar	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Coolant	—	without	Time & Usage	3.000 h / 3 Years	Regular	Incoming	2.931 h 453 days
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Engine Protective Device	—	without	Time & Usage	3.000 h / 3 Years	Regular	Incoming	11.931 h 453 days
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.4 COOLING SYSTEM		Coolant		without	Time	3 Years	Regular	Incoming	453 days
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E 3.4 GENERATORS N.2,...			Top End - No.2 Generator	—	without	Usage	5.000 h	Critical	Incoming	3.249 h
	Date	Location	Type	Comment	Supplier	Responsible						
	May 19, 2018	Genoa	Job Done		Automar	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.2 BASIC ENGINE		Top End		without	Usage	9.000 h	Repair	Incoming	3.672 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.2 BASIC ENGINE		Top End		without	Usage	9.000 h	Repair	Incoming	3.678 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.1 ENGINE ARRANGMENT		Major Overhaul		without	Usage	12.000 h	Critical	Incoming	10.483 h
	Date	Location	Type	Comment	Supplier	Responsible						
	Nov 15, 2017	Genoa	Job Done	Carried out by Automar	-	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Isulation	—	without	Usage	2.000 h	Inspection	Incoming	9.931 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Major Overhaul	—	without	Usage	12.000 h	Critical	Incoming	11.931 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.2 BASIC ENGINE		Major		without	Usage	18.000 h	Repair	Incoming	12.672 h

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.2 BASIC ENGINE		Major		without	Usage	18.000 h	Repair	Incoming	12.678 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.6 EMERGENCY...			Engine Valve Lash	—	without	Usage	2.000 h	Regular	Incoming	9.931 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.6 EMERGENCY...			Oil Cooler	—	without	Usage	5.000 h	Regular	Incoming	9.931 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E 3.4 GENERATORS N.2,...			Coolant - No.2 Generator	—	without	Usage	6.000 h	Regular	Incoming	4.250 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.3 GENERATORS N.1,...	E3.3.4 COOLING SYSTEM		Coolant		without	Usage	6.000 h	Regular	Incoming	3.989 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.3 GENERATORS N.1,...	E3.3.1 ENGINE ARRANGMENT		Major Service - Overhaul		without	Usage	10.000 h	Regular	Incoming	8.015 h
	Date	Location	Type	Comment	Supplier	Responsible						
	May 19, 2018	Genoa	Job Done		Automar	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E 3.4 GENERATORS N.2,...			Major Service - Overhaul - No.2 Generator	—	without	Usage	10.000 h	Critical	Incoming	8.249 h
	Date	Location	Type	Comment	Supplier	Responsible						
	May 19, 2018	Genoa	Job Done		Automar	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.6 EMERGENCY...			Aftercooler Core	—	without	Usage	5.000 h	Regular	Incoming	9.931 h
PERIODICAL MAINTENANCE	E5 ANCILLARY MACHINERY	E5.3 PNEUMATIC SYSTEM	E5.3.4 FORWARD COMPRESSOR		Fwd Compressor - Piston Oil Replace		without	Usage	3.000 h	Critical	Incoming	2.856 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.1 ENGINE ARRANGMENT		Camshaft Roller Followers		without	Usage	8.000 h	Inspection	Incoming	2.678 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.3 GENERATORS N.1,...	E3.3.4 COOLING SYSTEM		Heat Exchanger		without	Usage	3.000 h	Regular	Incoming	989 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.3 GENERATORS N.1,...	E3.3.2 BASIC ENGINE		Engine Valve Rotators		without	Usage	3.000 h	Regular	Incoming	989 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.3 GENERATORS N.1,...	E3.3.8 ELECTRIC AND...		Starting Motor		without	Usage	3.000 h	Regular	Incoming	989 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.3 GENERATORS N.1,...	E3.3.4 COOLING SYSTEM		Cooling System Water Temperature Regulator		without	Usage	3.000 h	Regular	Incoming	989 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.14 FWD STABILIZERS	E3.14.1 HYDRAULIC POWER...		Fwd Stabilizer - Oil Change		without	Time	3 Years	Critical	Incoming	174 days
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.3 GENERATORS N.1,...	E3.3.2 BASIC ENGINE		Engine Valve Lash (Tappets Clarence)		without	Usage	3.000 h	Regular	Incoming	989 h

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.3 GENERATORS N.1,...	E3.3.4 COOLING SYSTEM		Auxiliary Water Pump (Bronze Impeller)		without	Usage	3.000 h	Inspection	Incoming	989 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.6 EXHAUST SYSTEM		Turbocharger - No.3 Generator		without	Time & Usage	1.000 h / 2 Years	Critical	Incoming	817 h 467 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Sep 10, 2018	Monaco.	Job Done	Inspected . Good condition .	-	Tom HARDY (2nd Engineer)						
	May 19, 2018	Genoa	Job Done	Done as part of 12000hr overhaul	Automar	Alan PIERROT (Chief Engineer)						
	May 19, 2018	Genoa	To Be Done	done as part of 12000hr overhaul	Automar	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.6 EXHAUST SYSTEM		Turbocharger		without	Usage	2.000 h	Critical	Incoming	784 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Rotating Rectifier	—	without	Time & Usage	1.000 h / 2 Years	Regular	Incoming	931 h 123 days
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Magnetic Pickups	—	without	Time & Usage	1.000 h / 2 Years	Regular	Incoming	9.931 h 123 days
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Aftercooler	—	without	Usage	1.000 h	Regular	Incoming	931 h
	Date	Location	Type	Comment	Supplier	Responsible						
	May 19, 2018	Genoa	Job Done		-	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.15 AFT STABILIZERS	E3.15.1 HYDRAULIC POWER...		Aft stabilizer - Oil Change		without	Time	3 Years	Critical	Incoming	174 days
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E 3.4 GENERATORS N.2,...			Cooling System Water Temperature Regulator - No.2 Generator	—	without	Usage	3.000 h	Critical	Incoming	1.250 h
PERIODICAL MAINTENANCE	E5 ANCILLARY MACHINERY	E5.3 PNEUMATIC SYSTEM	E53.1 AFT COMPRESSOR		Aft Compressor - Piston Oil Change		without	Time & Usage	3.000 h / 2 Years	Critical	Incoming	2.052 h 421 days
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.4 COOLING SYSTEM		Auxiliary Water Pump		without	Usage	4.000 h	Inspection	Incoming	1.678 h
PERIODICAL MAINTENANCE	E5 ANCILLARY MACHINERY	E5.3 PNEUMATIC SYSTEM	E53.4 FORWARD COMPRESSOR		Fwd Compressor - Replace check valve unloader		without	Usage	4.000 h	Regular	Incoming	2.555 h
PERIODICAL MAINTENANCE	E5 ANCILLARY MACHINERY	E5.3 PNEUMATIC SYSTEM	E53.4 FORWARD COMPRESSOR		Fwd Compressor - Replace valve discs		without	Usage	4.000 h	Regular	Incoming	2.555 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.1 ENGINE ARRANGMENT		Camshaft Roller Followers		without	Usage	8.000 h	Inspection	Incoming	2.672 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.2 BASIC ENGINE		Engine Protective Device		without	Usage	3.000 h	Regular	Incoming	1.483 h
	Date	Location	Type	Comment	Supplier	Responsible						
	Nov 15, 2017	Genoa	Job Done	Done as part of 12000hr overhaul	-	Alan PIERROT (Chief Engineer)						
PERIODICAL	E3 MAIN MACHINERY	E 3.4 GENERATORS			Starting Motor - No.2 Generator	—	without	Usage	3.000 h	Regular	Incoming	1.250 h

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.4 COOLING SYSTEM		No 3 D/A Auxiliary Water Pump (Rubber Impeller)		without	Usage	250 h	Critical	Incoming	67 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Sep 10, 2018	Monaco.	Job Done	Pump inspected .		-		Tom HARDY (2nd Engineer)				
	Aug 28, 2018	Portofino (Italy)	Job Done	Pump Inspected .		-		Tom HARDY (2nd Engineer)				
	Aug 16, 2018	Palma (Spain)	Job Done	Inspected		-		Tom HARDY (2nd Engineer)				
	Jul 29, 2018	Rinea (Greece)	Job Done	Impeller inspected .		-		Tom HARDY (2nd Engineer)				
	Jun 20, 2018	Antibes	Job Done	Inspected		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.3 LUBRICATING SYSTEM		Engine Oil and Filter - No.3 Generator		without	Usage	250 h	Regular	Incoming	67 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Sep 10, 2018	Monaco.	Job Done	Oil and filters replaced .		-		Tom HARDY (2nd Engineer)				
	Aug 28, 2018	Portofino (Italy)	Job Done	Oil and filter changed .		-		Tom HARDY (2nd Engineer)				
	Aug 16, 2018	Palma (Spain)	Job Done	Engine Oil and oil Filters changed .		-		Tom HARDY (2nd Engineer)				
	Jul 29, 2018	Rinea (Greece)	Job Done	Oil and filter oil changed .		-		Tom HARDY (2nd Engineer)				
	Jun 20, 2018	Antibes	Job Done	Oil and filter oil replaced .		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.6 EXHAUST SYSTEM		Generator No.3 - Fume Disposal Filter Element		without	Usage	500 h	Regular	Incoming	44 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Aug 28, 2018	Porto Cervo	Job Done	Filter replaced.		-		Tom HARDY (2nd Engineer)				
	Jul 29, 2018	Rinea (Greece)	Job Done	Filter element changed .		-		Tom HARDY (2nd Engineer)				
	May 19, 2018	Genoa	Job Done			Automar		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.5 AIR SYSTEM		Generator No.3 Engine Air Cleaner Element (AIR FILTER)		without	Usage	500 h	Regular	Incoming	44 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Aug 28, 2018	Portofino (Italy)	Job Done	Filter replaced .		-		Tom HARDY (2nd Engineer)				
	Jul 29, 2018	Rinea (Greece)	Job Done	Filter inspected and cleaned .		-		Tom HARDY (2nd Engineer)				
	May 19, 2018	Genoa	Job Done			Automar		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.4 GENERATORS N.2,...	E3.4.7 FUEL SYSTEM		Secondary Fuel Filter (CAT) - No. 2 Generator		without	Time & Usage	250 h / Yearly	Regular	Incoming	26 h 108 days
	Date	Location	Type	Comment		Supplier		Responsible				
	Sep 7, 2018	Cala Di Volpi (Sardinia)	Job Done	Filter replaced .		-		Tom HARDY (2nd Engineer)				
	Aug 24, 2018	ST JEAN CAP FERRAT	Job Done	Filter changed .		-		Tom HARDY (2nd Engineer)				
	Aug 9, 2018	Genoa	Job Done	Main filter replaced .		-		Tom HARDY (2nd Engineer)				
	Jul 17, 2018	Hydra (Greece)	Job Done	Filter Changed .		-		Tom HARDY (2nd Engineer)				
	Jun 19, 2018		Job Done			-		Alan PIERROT (Chief Engineer)				

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E 3.4 GENERATORS N.2,...			Primary Fuel Filter (Racor) Change	—	without	Time & Usage	250 h / Yearly	Regular	Incoming	26 h 108 days
	Date	Location	Type	Comment	Supplier			Responsible				
	Sep 7, 2018	Cala Di Volpi (Sardinia)	Job Done	Filter Replaced .	-			Tom HARDY (2nd Engineer)				
	Aug 24, 2018	ST JEAN CAP FERRAT	Job Done	Filter Changed .	-			Tom HARDY (2nd Engineer)				
	Aug 9, 2018	Genoa	Job Done	Filter replaced .	-			Tom HARDY (2nd Engineer)				
	Jul 17, 2018	Hydra (Greece)	Job Done	Filter replaced .	-			Tom HARDY (2nd Engineer)				
	Jun 19, 2018		Job Done		-			Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E 3.4 GENERATORS N.2,...			Engine Oil and Filter - No .2 Generator	—	without	Time & Usage	250 h / Yearly	Critical	Incoming	26 h 108 days
	Date	Location	Type	Comment	Supplier			Responsible				
	Sep 7, 2018	Cala Di Volpi (Sardinia)	Job Done	Oil and filters replaced .	-			Tom HARDY (2nd Engineer)				
	Aug 24, 2018	ST JEAN CAP FERRAT	Job Done	Oil and oil filters changed .	-			Tom HARDY (2nd Engineer)				
	Aug 9, 2018	Genoa	Job Done	Engine oil and filters changed .	-			Tom HARDY (2nd Engineer)				
	Jul 17, 2018	Hydra (Greece)	Job Done	Oil and filter oil changed .	-			Tom HARDY (2nd Engineer)				
	Jun 19, 2018		Job Done		-			Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E5 ANCILLARY MACHINERY	E5.3 PNEUMATIC SYSTEM	E53.1 AFT COMPRESSOR		Aft Compressor - Oil check		without	Usage	25 h	Regular	Incoming	25 h
	Date	Location	Type	Comment	Supplier			Responsible				
	Jan 3, 2019	Genoa	Job Done	Level 50% on sight glass	-			Alan PIERROT (Chief Engineer)				
	Oct 5, 2018	Monaco.	Job Done	Checked .	-			Alan PIERROT (Chief Engineer)				
	Aug 23, 2018	Porto Cervo	Job Done	Oil level checked .	-			Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E5 ANCILLARY MACHINERY	E5.3 PNEUMATIC SYSTEM	E53.4 FORWARD COMPRESSOR		Fwd Compressor - Oil check		without	Usage	25 h	Regular	Incoming	25 h
	Date	Location	Type	Comment	Supplier			Responsible				
	Jan 3, 2019	Genoa	Job Done	Level 50% on sight glass	-			Alan PIERROT (Chief Engineer)				
	Oct 5, 2018	Monaco.	Job Done	Checked .	-			Alan PIERROT (Chief Engineer)				
	Aug 23, 2018	Porto Cervo	Job Done	Oil Checked .	-			Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.7 FUEL SYSTEM		No 3 D/A Fuel Primary (Racor) / Secondary Filters		without	Usage	250 h	Regular	Incoming	67 h
	Date	Location	Type	Comment	Supplier			Responsible				
	Sep 10, 2018	Monaco.	Job Done	Filters replaced .	-			Tom HARDY (2nd Engineer)				
	Aug 28, 2018	Portofino (Italy)	Job Done	Filter replaced .	-			Tom HARDY (2nd Engineer)				
	Aug 16, 2018	Palma (Spain)	Job Done	Filter replaced .	-			Tom HARDY (2nd Engineer)				
	Jul 29, 2018	Rinea (Greece)	Job Done	Filter Replaced.	-			Tom HARDY (2nd Engineer)				
	Jun 20, 2018	Antibes	Job Done	Filter Changed.	-			Tom HARDY (2nd Engineer)				

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E 3.4 GENERATORS N.2,...			Generator No.2 - Aftercooler Condensate Drain Valve	—	without	Time & Usage	250 h / Yearly	Regular	Incoming	26 h 108 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Sep 7, 2018	Cala Di Volpi (Sardinia)	Job Done	Checked .	-	Tom HARDY (2nd Engineer)						
	Aug 19, 2018	Formentera (Spain)	Job Done	Inspected	-	Tom HARDY (2nd Engineer)						
	Jul 30, 2018	Mikonos (Greece)	Job Done	Valve checked and cleaned .	-	Tom HARDY (2nd Engineer)						
	Jun 26, 2018	Monaco	Job Done	Valve plug inspected.	-	Tom HARDY (2nd Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.4 COOLING SYSTEM		Coolant		without	Time & Usage	3.000 h / 3 Years	Regular	Incoming	678 h 22 days
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.4 COOLING SYSTEM		Port M/E Zinc Rods		without	Usage	125 h	Inspection	Incoming	125 h
	Date	Location	Type	Comment	Supplier	Responsible						
	Jan 5, 2019	Genoa	Job Done	Both anodes changed out for new. Outlet pipe anode wont seal without thread seal due to parallel threads. Make an exception in this case until can be resolved. The parts manual lists this anode location only as a plug not an anode. I shall investigate further.	-	Alan PIERROT (Chief Engineer)						
	Aug 30, 2018	Salnt Florent (Corsica , France)	Job Done	Zincs replaced .	-	Tom HARDY (2nd Engineer)						
	Aug 19, 2018	Formentera (Spain)	Job Done	Zincs replaced .	-	Tom HARDY (2nd Engineer)						
	Jul 19, 2018	Elafonisos (Greece)	Job Done	Zincs changed	-	Tom HARDY (2nd Engineer)						
	May 19, 2018	Genoa	Job Done		Automar	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.4 COOLING SYSTEM		Coolant		without	Time & Usage	3.000 h / 3 Years	Regular	Incoming	672 h 22 days
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Auxiliary Water Pump (Rubber Impeller)	—	without	Usage	250 h	Critical	Incoming	181 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.7 FUEL SYSTEM		No 3 D/A Fuel Primary / Secondary Filters		without	Usage	250 h	Regular	Incoming	67 h
	Date	Location	Type	Comment	Supplier	Responsible						
	Sep 10, 2018	Monaco.	Job Done	Filter replaced .	-	Tom HARDY (2nd Engineer)						
	Aug 28, 2018	Portofino (Italy)	Job Done	Filter replaced .	-	Tom HARDY (2nd Engineer)						
	Aug 16, 2018	Palma (Spain)	Job Done	Filter replaced .	-	Tom HARDY (2nd Engineer)						
	Jul 29, 2018	Rinea (Greece)	Job Done	Filter Replaced.	-	Tom HARDY (2nd Engineer)						
	Jun 20, 2018	Antibes	Job Done	Filter changed .	-	Tom HARDY (2nd Engineer)						
PERIODICAL MAINTENANCE	E4 AUXILIARY MACHINERY	E4.3 LIFTING EQUIPMENT	E4.3.1 RESCUE CRANE		Annual Service - Rescue crane		without	Time	Yearly	Critical	Incoming	16 days
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.1 ENGINE ARRANGMENT		Belts - Port Main Engine		without	Usage	250 h	Inspection	Incoming	85 h
	Date	Location	Type	Comment	Supplier	Responsible						
	Aug 24, 2018	ST JEAN CAP FERRAT	Job Done	Belt checked .	-	Tom HARDY (2nd Engineer)						

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
	Jul 19, 2018	Elefonisos (Greece)	Job Done	Belts checked .		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.4 COOLING SYSTEM		Zinc-Rods - Generator No.3		without	Usage	125 h	Regular	Incoming	67 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Sep 27, 2018	Saint Jean Cap Ferrat	Job Done	Zincs replaced .		-		Tom HARDY (2nd Engineer)				
	Sep 10, 2018	Monaco.	Job Done	Zincs replaced .		-		Tom HARDY (2nd Engineer)				
	Aug 28, 2018	Portofino (Italy)	Job Done	Zincs replaced .		-		Tom HARDY (2nd Engineer)				
	Aug 16, 2018	Palma (Spain)	Job Done	Zincs replaced .		-		Tom HARDY (2nd Engineer)				
	Aug 6, 2018	Athens	Job Done	Zincs changed		-		Tom HARDY (2nd Engineer)				
	Jul 29, 2018	Rinea (Greece)	Job Done	Zincs Replaced .		-		Tom HARDY (2nd Engineer)				
	Jul 24, 2018	Arkoi (Greece)	Job Done	Zincs replaced .		-		Tom HARDY (2nd Engineer)				
	Jun 20, 2018	Antibes	Job Done	Zinc's replaced .		-		Tom HARDY (2nd Engineer)				
	May 19, 2018	Genova	Job Done	Done .		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.1 ENGINE ARRANGMENT		Belts - Stbd Main Engine .		without	Usage	250 h	Inspection	Incoming	83 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Aug 24, 2018	ST JEAN CAP FERRAT	Job Done	Belt checked .		-		Tom HARDY (2nd Engineer)				
	Jul 23, 2018	Amorgos (Greece)	Job Done	Checked .		-		Tom HARDY (2nd Engineer)				
	May 19, 2018	Genoa	Job Done			-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.8 ELECTRIC AND...		Generator No.3 - Battery check .		without	Usage	250 h	Critical	Incoming	67 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Sep 10, 2018	Monaco.	Job Done	Battery checked .		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.2 BASIC ENGINE		Generator No.3 - Belts		without	Usage	125 h	Regular	Incoming	80 h
	Date	Location	Type	Comment		Supplier		Responsible				
	Sep 27, 2018		Job Done	Belts Inspected .		-		Tom HARDY (2nd Engineer)				
	Sep 10, 2018	Monaco.	Job Done	Belt Inspected .Good Condition.		-		Tom HARDY (2nd Engineer)				
	Aug 28, 2018	Portofino (Italy)	Job Done	Belt Checked .		-		Tom HARDY (2nd Engineer)				
	Aug 16, 2018	Palma (Spain)	Job Done	Belt inspected .		-		Tom HARDY (2nd Engineer)				
	Aug 6, 2018	Athens	Job Done	Belt Inspected .		-		Tom HARDY (2nd Engineer)				
	Jul 29, 2018	Rinea (Greece)	Job Done	Inspected		-		Tom HARDY (2nd Engineer)				
	Jul 24, 2018	Arkoi (Greece)	Job Done	Belt checked .		-		Tom HARDY (2nd Engineer)				
	Jun 20, 2018	Antibes	Job Done	Belt inspected .		-		Tom HARDY (2nd Engineer)				
	May 19, 2018		Job Done			-		Tom HARDY (2nd Engineer)				

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.3 GENERATORS N.1,...	E3.3.5 AIR SYSTEM		Generator No.1 - Aftercooler		without	Time & Usage	2.000 h / 2 Years	Regular	Pending	15 h 353 days
	Date	Location	Type	Comment	Supplier	Responsible						
	May 19, 2018	Genoa	Job Done	Done as part of 10000hr overhaul	Automar	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E5 ANCILLARY MACHINERY	E5.3 PNEUMATIC SYSTEM	E53.6 FORWARD DRYER		Fwd Dryer - Clean surface of condenser		without	Time	1 Month	Regular	Pending	-190 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Oct 5, 2018	Monaco.	Job Done	Cleaned .	-	Tom HARDY (2nd Engineer)						
	Aug 23, 2018	Porto Cervo	Job Done	Cleaned .	-	Tom HARDY (2nd Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.6 EMERGENCY...	E3.6.8 ELECTRIC AND...		Emergency Generator - Battery check		without	Time	1 Month	Regular	Pending	-191 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Oct 4, 2018	Monaco.	Job Done	Checked .	-	Tom HARDY (2nd Engineer)						
PERIODICAL MAINTENANCE	E5 ANCILLARY MACHINERY	E5.3 PNEUMATIC SYSTEM	E53.3 AFT DRYER		Aft Dryer - Clean surface of condenser		without	Time	1 Month	Regular	Pending	-190 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Oct 5, 2018	Monaco.	Job Done	Cleaned .	-	Tom HARDY (2nd Engineer)						
	Aug 23, 2018	Porto Cervo	Job Done	Cleaned .	-	Tom HARDY (2nd Engineer)						
PERIODICAL MAINTENANCE	E8 HVAC AND REFRIGERATION	E8.2 VENTILATION	E8.2.13 AHU NO.7 (140...		Air handling Unit NO .3		without	Time	6 Months	Inspection	Pending	-142 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Jun 27, 2018	ST JEAN CAP FERRAT	Job Done	Checked inspected and changed filter mesh and sanitize .	-	Tom HARDY (2nd Engineer)						
	Nov 15, 2017	Genoa	Job Done	Bearings changed	-	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E8 HVAC AND REFRIGERATION	E8.2 VENTILATION	E8.2.11 AHU NO.5 (217...		Air Handling Unit NO .5		without	Time	6 Months	Inspection	Pending	-142 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Jun 27, 2018	ST JEAN CAP FERRAT	Job Done	Checked inspected and changed filter mesh and sanitize .	-	Tom HARDY (2nd Engineer)						
	Nov 15, 2017	Genoa	Job Done	Bearings changed	-	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E8 HVAC AND REFRIGERATION	E8.2 VENTILATION	E8.2.12 AHU NO.6 (221...		Air Handling Unit NO .6		without	Time	6 Months	Inspection	Pending	-142 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Jun 27, 2018	ST JEAN CAP FERRAT	Job Done	Checked inspected and changed filter mesh and sanitize .	-	Tom HARDY (2nd Engineer)						
PERIODICAL MAINTENANCE	E8 HVAC AND REFRIGERATION	E8.2 VENTILATION	E8.2.10 AHU NO.4 (223...		Air Handling Unit NO .4		without	Time	6 Months	Inspection	Pending	-142 days
	Date	Location	Type	Comment	Supplier	Responsible						

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
	Jun 27, 2018	ST JEAN CAP FERRAT	Job Done	Checked inspected and changed filter mesh and sanitize .		-		Tom HARDY (2nd Engineer)				
	Nov 15, 2017	Genoa	Job Done	Bearings changed		-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.14 FWD STABILIZERS	E3.14.2 HYDRAULIC NOISE...		Fwd Stabilizer - Noise suppressor Pre-charge check		without	Time	3 Months	Inspection	Pending	-143 days
	Date	Location	Type	Comment		Supplier		Responsible				
	Sep 22, 2018	Saint Jean Cap Ferrat .	Job Done	Checked (6900 Kpa) .		-		Tom HARDY (2nd Engineer)				
	Aug 19, 2018	Ibitza (Spain)	Job Done	Pressure Checked (8100 Kpa)		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.3 GENERATORS N.1,...	E3.3.8 ELECTRIC AND...		Battery check - Generator No.1		without	Time	6 Months	Regular	Pending	-158 days
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.15 AFT STABILIZERS	E3.15.2 HYDRAULIC NOISE...		Aft Stabilizer - Noise suppressor pre-charge check		without	Time	1 Month	Inspection	Pending	-203 days
	Date	Location	Type	Comment		Supplier		Responsible				
	Sep 22, 2018	Saint Jean Cap Ferrat	Job Done	Checked (0 Kpa) .		-		Tom HARDY (2nd Engineer)				
	Aug 19, 2018	Ibitza (Spain)	Job Done	Pressure checked (0 KPa)		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E8 HVAC AND REFRIGERATION	E8.2 VENTILATION	E8.2.13 AHU NO.7 (140...		Air Handling Unit NO .7		without	Time	6 Months	Inspection	Pending	-142 days
	Date	Location	Type	Comment		Supplier		Responsible				
	Jun 27, 2018	ST JEAN CAP FERRAT	Job Done	Checked inspected and changed filter mesh and sanitize .		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.14 FWD STABILIZERS	E3.14.9 COOLING SYSTEM		Fwd Stabilizer - Inspect/ Change zincs. DO NOT USE PTFE ON THREADS		without	Time	2 Months	Regular	Pending	-207 days
	Date	Location	Type	Comment		Supplier		Responsible				
	Aug 19, 2018		Job Done	Zincs Checked .		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.15 AFT STABILIZERS	E3.15.9 COOLING SYSTEM		Aft Stabilizer - inspect / change zincs. DO NOT USE PTFE ON THREADS !		without	Time	2 Months	Regular	Pending	-207 days
	Date	Location	Type	Comment		Supplier		Responsible				
	Aug 19, 2018	Ibitza	Job Done	Zincs checked .		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E1 SAFETY AND SECURITY	E1.3 SHUT DOWN DEVICES	E1.3.2 VENTILATION AND...		Fans and Dampers		without	Time	1 Month	Critical	Pending	-192 days
	Date	Location	Type	Comment		Supplier		Responsible				
	Oct 3, 2018	Monaco.	Job Done	Tested .		-		Tom HARDY (2nd Engineer)				
	Aug 23, 2018	Porto Cervo	Job Done	All Dumpers Checked .		-		Tom HARDY (2nd Engineer)				
PERIODICAL MAINTENANCE	E5 ANCILLARY MACHINERY	E5.6 WASTE WATER SYSTEM	E5.6.5 GREASE TRAP		Grease Trap - Clean / Inspect		without	Time	1 Month	Regular	Pending	-194 days
	Date	Location	Type	Comment		Supplier		Responsible				
	Oct 1, 2018	Monaco.	Job Done	Done .		-		Tom HARDY (2nd Engineer)				

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
PERIODICAL MAINTENANCE	E4 AUXILIARY MACHINERY	E4.1 ANCHORS AND MOORING	E4.1.2 ANCOR WINDLASSES		Grease Windlass's		without	Time	1 Month	Regular	Pending	-193 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Oct 2, 2018	Monaco.	Job Done	Greased .	-	Tom HARDY (2nd Engineer)						
	Aug 15, 2018	Ibitza	Job Done	Greased	-	Tom HARDY (2nd Engineer)						
PERIODICAL MAINTENANCE	E5 ANCILLARY MACHINERY	E5.3 PNEUMATIC SYSTEM	E53.1 AFT COMPRESSOR		Aft Compressor - Replace valve discs		without	Usage	4.000 h	Regular	Pending	-85 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.8 ELECTRIC AND...		Insulation		without	Time	Yearly	Inspection	Pending	-3 days
	Date	Location	Type	Comment	Supplier	Responsible						
	May 19, 2018	Genoa	Job Done	Done as part of Megger test	-	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Engine speed time / Timing sensor	—	without	Time	Yearly	Inspection	Pending	-3 days
	Date	Location	Type	Comment	Supplier	Responsible						
	May 19, 2018	Genoa	Job Done		-	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Engine Crankcase Breather	—	without	Time	Yearly	Critical	Pending	-3 days
	Date	Location	Type	Comment	Supplier	Responsible						
	May 19, 2018		Job Done		-	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E5 ANCILLARY MACHINERY	E5.3 PNEUMATIC SYSTEM	E53.1 AFT COMPRESSOR		Aft Compressor - Replace check valve unloader		without	Usage	4.000 h	Regular	Pending	-85 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E 3.4 GENERATORS N.2,...			Generator No.2 - Zinc-Rods	—	without	Usage	125 h		Pending	-99 h
	Date	Location	Type	Comment	Supplier	Responsible						
	Sep 7, 2018	Cala Di Volpi	Job Done	Zincs Replaced .	-	Tom HARDY (2nd Engineer)						
	Aug 27, 2018	Saint Jean Cap Ferrat	Job Done	Done .	-	Tom HARDY (2nd Engineer)						
	Aug 19, 2018	Formentera	Job Done	Zincs replaced .	-	Tom HARDY (2nd Engineer)						
	Aug 9, 2018	Genoa	Job Done	Zincs replaced .	-	Tom HARDY (2nd Engineer)						
	Jul 30, 2018	Mikonos (Greece)	Job Done	Zincs replaced .	-	Tom HARDY (2nd Engineer)						
	Jul 17, 2018	Hydra (Greece)	Job Done	Zincs Replaced .	-	Tom HARDY (2nd Engineer)						
	Jun 26, 2018	Monaco	Job Done	Zincs changed .	-	Tom HARDY (2nd Engineer)						
	Jun 19, 2018		Job Done		-	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E 3.4 GENERATORS N.2,...			Generator No.2 - Primary Fuel Filter (Racor) Drain	—	without	Time & Usage	125 h / Yearly	Regular	Pending	-99 h 108 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Sep 7, 2018	Cala Di Volpi (Sardinia)	Job Done	Filter replaced .	-	Tom HARDY (2nd Engineer)						

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
	Jul 30, 2018	Mikonos (Greece)	Job Done	Fuel drained .		-		Tom HARDY (2nd Engineer)				
	Jul 17, 2018	Hydra (Greece)	Job Done	Fuel drained do to filter change .		-		Tom HARDY (2nd Engineer)				
	Jun 26, 2018	Monaco	Job Done	Fuel drained , no water found .		-		Tom HARDY (2nd Engineer)				
	Jun 19, 2018		Job Done			-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E 3.4 GENERATORS N.2,...			Generator No.2 - Alternator Belt	—	without	Time & Usage	125 h / Yearly	Regular	Pending	-99 h 108 days
	Date	Location	Type	Comment		Supplier		Responsible				
	Sep 7, 2018	Cala Di Volpi (Sardinia)	Job Done	Inspected .		-		Tom HARDY (2nd Engineer)				
	Aug 27, 2018	Saint Jean Cap Ferrat	Job Done	Belt Checked .		-		Tom HARDY (2nd Engineer)				
	Aug 19, 2018	Formentera	Job Done	Inspected .		-		Tom HARDY (2nd Engineer)				
	Aug 9, 2018	Genoa	Job Done	Belt checked .		-		Tom HARDY (2nd Engineer)				
	Jul 30, 2018	Mikonos (Greece)	Job Done	Belt Checked .		-		Tom HARDY (2nd Engineer)				
	Jul 17, 2018	Hydra (Greece)	Job Done	Belt inspected .		-		Tom HARDY (2nd Engineer)				
	Jun 26, 2018	Monaco	Job Done	Belt inspected .		-		Tom HARDY (2nd Engineer)				
	Jun 19, 2018		Job Done			-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Turbocharger	—	without	Time	Yearly	Critical	Pending	-3 days
	Date	Location	Type	Comment		Supplier		Responsible				
	May 19, 2018		Job Done			-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Alternator	—	without	Time	Yearly	Inspection	Pending	-3 days
	Date	Location	Type	Comment		Supplier		Responsible				
	May 19, 2018	Genoa	Job Done			-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Crankshaft Vibration Damper	—	without	Time	Yearly	Inspection	Pending	-3 days
	Date	Location	Type	Comment		Supplier		Responsible				
	May 19, 2018	Genoa	Job Done			-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Engine Performance	—	without	Time	Yearly	Regular	Pending	-3 days
	Date	Location	Type	Comment		Supplier		Responsible				
	May 19, 2018		Job Done			-		Alan PIERROT (Chief Engineer)				
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Starting Motors	—	without	Time	Yearly	Inspection	Pending	-3 days
	Date	Location	Type	Comment		Supplier		Responsible				
	May 19, 2018		Job Done			-		Alan PIERROT (Chief Engineer)				

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Water Pump	—	without	Time	Yearly	Inspection	Pending	-3 days
	Date	Location	Type	Comment	Supplier	Responsible						
	May 19, 2018		Job Done		-	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Fume Disposal Filter Element	—	without	Time	Yearly	Regular	Pending	-3 days
	Date	Location	Type	Comment	Supplier	Responsible						
	May 19, 2018	Genoa	Job Done		-	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Cooling System Water Temperature Regulator	—	without	Time	Yearly	Critical	Pending	-3 days
	Date	Location	Type	Comment	Supplier	Responsible						
	May 19, 2018	Genoa	Job Done		-	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Engine Mounts	—	without	Time	Yearly	Critical	Pending	-3 days
	Date	Location	Type	Comment	Supplier	Responsible						
	May 19, 2018	Genoa	Job Done		-	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Injector Bolt Torque	—	without	Time	Yearly	Critical	Pending	-3 days
	Date	Location	Type	Comment	Supplier	Responsible						
	May 19, 2018	Genoa	Job Done		-	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.6 EMERGENCY...			Engine Air Cleaner Element (AIR FILTER)	—	without	Time	Yearly	Regular	Pending	-3 days
	Date	Location	Type	Comment	Supplier	Responsible						
	May 19, 2018	Genoa	Job Done		-	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.4 GENERATORS N.2,...	E3.4.8 ELECTRIC AND...		Battery check - Generator No.2		without	Usage	250 h	Critical	Pending	-189 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.7 FUEL SYSTEM		Injector Bolt Torque - Generator No.3		without	Usage	1.000 h	Inspection	Pending	-517 h
	Date	Location	Type	Comment	Supplier	Responsible						
	Nov 15, 2017	Genoa	Job Done	Done as part of 12000hr overhaul	-	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.1 ENGINE ARRANGMENT		Generator No.3 - Magnetic Pickups		without	Usage	1.000 h	Regular	Pending	-517 h
	Date	Location	Type	Comment	Supplier	Responsible						
	Nov 15, 2017	Genoa	Job Done	Done as part of 12000hr overhaul	Automar	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.3 LUBRICATING SYSTEM		Oil Analysis STBD Main Engine		without	Time & Usage	500 h / 3 Months	Regular	Pending	494 h -56 days

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
E												
	Date	Location	Type	Comment	Supplier	Responsible						
	Dec 18, 2018	Genoa	Job Done	Sample taken from dipstick	-	Alan PIERROT (Chief Engineer)						
	Jul 17, 2018	Hydra (Greece)	Job Done	Job done .	-	Tom HARDY (2nd Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.5 GENERATORS N.3,...	E3.5.3 LUBRICATING SYSTEM		Oil Analysis Generator No.3		without	Time	3 Months	Inspection	Pending	-55 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Dec 19, 2018	Genoa	Job Done	Oil sample taken from dipstick and sent away	-	Alan PIERROT (Chief Engineer)						
	Jul 17, 2018	Hydra (Greece)	Job Done	Job done .	-	Tom HARDY (2nd Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.4 COOLING SYSTEM		Stbd M/E Zinc Rods		without	Time & Usage	125 h / 1 Month	Inspection	Pending	125 h -99 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Jan 4, 2019	Genoa	Job Done	Anode on top of pump elbow was changed for new, without PTFE tape! The outlet side to overboard anode looks like it has been damaged over time and has been re-taped with a different size plug. This pipe needs to be replaced. Whilst isolating the seawater circuit, the gate valve from the pump to the gearbox cooling stuck closed so had to be removed and repaired. The gate had to be taken out and valve put back without it due to the thread been stripped.	-	Alan PIERROT (Chief Engineer)						
	Aug 30, 2018	Saint Florent (Corsica , France)	Job Done	Zincs replaced	-	Tom HARDY (2nd Engineer)						
	Aug 19, 2018	Formentera (Spain)	Job Done	Zincs replaced.	-	Tom HARDY (2nd Engineer)						
	Jul 19, 2018	Elafonisos (Greece)	Job Done	Zincs changed .	-	Tom HARDY (2nd Engineer)						
	May 19, 2018	Genoa	Job Done		Automar	Alan PIERROT (Chief Engineer)						
PERIODICAL MAINTENANCE	E4 AUXILIARY MACHINERY	E4.3 LIFTING EQUIPMENT	E4.3.5 FOOD ELEVATOR		Annual Service - Food elevator		without	Time	Yearly	Critical	Pending	-110 days
PERIODICAL MAINTENANCE	E5 ANCILLARY MACHINERY	E5.3 PNEUMATIC SYSTEM	E53.1 AFT COMPRESSOR		Aft Compressor - Test Safety Valve		without	Time	6 Months	Critical	Pending	-113 days
PERIODICAL MAINTENANCE	E5 ANCILLARY MACHINERY	E5.3 PNEUMATIC SYSTEM	E53.4 FORWARD COMPRESSOR		Fwd Compressor - Test Safety Valve		without	Time	6 Months	Critical	Pending	-113 days
PERIODICAL MAINTENANCE	E4 AUXILIARY MACHINERY	E4.3 LIFTING EQUIPMENT	E4.3.4 OWNER LIFT		Annual Service - owners lift		without	Time	Yearly	Critical	Pending	-110 days
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.1 MAIN ENGINE PORT	E3.1.3 LUBRICATING SYSTEM		Engine Oil and Filter - Port Main Engine		without	Time & Usage	1.000 h / Yearly	Regular	Pending	334 h -53 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Mar 30, 2018	Genova	Job Done	Oil changed >	-	Tom HARDY (2nd Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.2 MAIN ENGINE STBD	E3.1.3 LUBRICATING SYSTEM		Engine Oil and Filter - STBD Main Engine		without	Time & Usage	1.000 h / Yearly	Regular	Pending	423 h -53 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Mar 30, 2018	Genoa	Job Done	Oil changed .	-	Tom HARDY (2nd Engineer)						
	Mar 30, 2018	Genoa	Job Done	Oil changed .	-	Tom HARDY (2nd Engineer)						

task group	area	group	item	subitem	title	identification	sp	frq	interval	type	status	task due
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.11 STEERING SYSTEM	E3.11.1 HYDRAULIC POWER...		Oil Analysis - Steering Gear (Hydraulic Power pack)		without	Time	3 Months	Inspection	Pending	-39 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Jan 4, 2019	Genoa	Job Done	Sample taken from aft drain on tank. Unknown hours.	-	Alan PIERROT (Chief Engineer)						
	Jul 17, 2018	Hydra (Greece)	Job Done	Job done.	-	Tom HARDY (2nd Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.14 FWD STABILIZERS	E3.14.1 HYDRAULIC POWER...		Oil Analysis - FWD Stabilizers (Hydraulic Power Pack)		without	Time	3 Months	Inspection	Pending	-39 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Jan 4, 2019	Genoa	Job Done	Sample taken from removing tank inspection cover and filling bottle. Hours approx 4000 for each motor	-	Alan PIERROT (Chief Engineer)						
	Jul 17, 2018	Hydra (Greece)	Job Done	Job done.	-	Tom HARDY (2nd Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E3.15 AFT STABILIZERS	E3.15.1 HYDRAULIC POWER...		Oil Analysis - Aft Stabilizers (Hydraulic Power Pack)		without	Time	3 Months	Inspection	Pending	-39 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Jan 4, 2019	Genoa	Job Done	Sample taken from tank top inspection cover. Hours approx 4000 for each motor	-	Alan PIERROT (Chief Engineer)						
	Jul 17, 2018	Hydra (Greece)	Job Done	Job done .	-	Tom HARDY (2nd Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.8 STARBOARD GEARBOX	E3.8.2 OIL COOLER		Starboard Gearbox Oil Cooler Anodes		without	Time	3 Months	Inspection	Pending	-39 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Jan 4, 2019	Genoa	Job Done	All 3 anodes checked for condition. All 3 are in almost perfect condition, probably 95% intact.	-	Alan PIERROT (Chief Engineer)						
	Sep 5, 2018	Porto Pino (Sardinia)	Job Done	Zincs Replaced .	-	Tom HARDY (2nd Engineer)						
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.7 PORT GEARBOX	E3.7.2 OIL COOLER		Port Gear Box Oil Cooler anodes		without	Time	3 Months	Inspection	Pending	-39 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Jan 4, 2019	Genoa	Job Done	Checked condition 95% intact	-	Alan PIERROT (Chief Engineer)						
	Sep 5, 2018	Porto Pino (Sardinia)	Job Done	Zincs replaced .	-	Tom HARDY (2nd Engineer)						
PERIODICAL MAINTENANCE	E5 ANCILLARY MACHINERY	E5.3 PNEUMATIC SYSTEM	E53.1 AFT COMPRESSOR		Aft Compressor - Replace air filter		without	Usage	600 h	Regular	Pending	-348 h
PERIODICAL MAINTENANCE	E3 MAIN MACHINERY	E.3.8 STARBOARD GEARBOX	E3.8.3 OIL FILTERS		Gearbox Starboard oil change		without	Usage	2.000 h	Regular	Pending	-328 h
PERIODICAL MAINTENANCE	E8 HVAC AND REFRIGERATION	E8.2 VENTILATION	E8.2.8 AHU NO.2 (309...		Air Handling Unit NO .2		without	Time	6 Months	Inspection	Pending	-142 days
	Date	Location	Type	Comment	Supplier	Responsible						
	Jun 27, 2018	ST JEAN CAP FERRAT	Job Done	Checked inspected and changed filter mesh and sanitize .	-	Tom HARDY (2nd Engineer)						